

Surveillance Systems and Hidden Cameras

See What's Going On When You're Not There



Hidden Cameras, Nanny Cams, Portable Hidden Cameras, DVR Systems, Stand Alone DVRs, Complete Surveillance Systems, Video Recording, IP Cameras, Bullet Cameras, Board Cameras, Infrared Illuminators, Mini-Digital Recorders, Speed Dome Cameras, Dummy Cameras, Bug/Frequency Detectors, Digital Phone/Room Recorders, LCD Video Monitors, Camera Accessories, and Surveillance Accessories

IMPORTANT: PLEASE READ FIRST!

In the past, surveillance equipment was only used by the government and private investigators. But now more and more people are finding a need for this specialized equipment.

Millions of people are using nanny cams to check on their babysitters, surveillance cameras to keep an eye on their homes and businesses and hidden cameras to catch theft, abuse and infidelity. No other method can give you the proof or evidence that a surveillance camera can.

Our products are easy to install yourself. If, however, you have a problem, we will be glad to have someone from our tech support team give you a call and walk you through everything.

We want to help you find the surveillance system that is right for you. But before you get started, there are 3 important benefits, besides the fact our hidden cameras are hand crafted, that set our cameras apart from others...

2.4 GHz Transmitters: We use only high powered 2.4 GHz transmitters that can send video signals up to three times further than other transmitters.

Battery Packs: You have to supply power to wireless surveillance and hidden cameras. This is usually done with a battery pack. Most battery packs can only supply power for up to 5 hours. Then you have to throw that pack away and get a new one. But our 12 volt battery pack lasts up to a whopping 8 hours...and it's rechargeable!

Lens Technology: CCD (Charged Coupled Device) is the lens we use in our cameras. There are cheaper lenses on the market, but none of them produce the high quality images that CCD lenses do. CCD lenses are high resolution and highly sensitive to light, allowing them to record in outdoor and low-light conditions.

Now a word of warning! There are many cameras out there that use 1.2 GHz transmitters and receivers. We have been asked why we don't. The reason is 1.2 GHz frequency is not approved by the FCC for transmitting wireless video. The FCC is aware of the situation and is conducting an ongoing investigation into the production and distribution of 1.2 GHz surveillance products. All of our hidden cameras are FCC approved 2.4 GHz.

We've included some frequently asked questions in the center of this catalog. If there is anything else you don't understand, please contact us.

We have a huge selection of surveillance equipment to choose from. But, if you ever need something we don't stock or have a special request, just ask. We will do our best to get you what you need.

HIDDEN CAMERAS

In the following pages you will find 38 everyday items with cameras hidden in them.

All our hidden cameras are hand crafted in the USA. They are easy to use and involve minimum, if any, installation. Use these hidden cameras to protect property at your home or office, your children and your peace of mind.

I'm sure you'll find just the camera you'll need. They are very portable...easily moved from room to room or place to place.

All our wireless cameras come with a FREE 2.4 GHz receiver (\$160.00 Value). Our wireless cameras can transmit up to 1000 feet...over 3 times the distance of most wireless cameras on the market.

High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Alarm Clock Hidden Camera



Sleep peacefully with the Alarm Clock hidden camera. A fully functional FM/AM radio alarm clock with large LED display. Includes a single alarm, easy-to-see alarm indicator, sleep button and alarm volume control. Full power back-up in case of electricity loss. Red tuning needle is fixed in place to prevent camera obstruction, but radio station can still be adjusted with tuning dial.

Options: Available with built-in DVR. Completely self contained. No additional recording device is needed. Video captured by camera is stored on a SD Card. See page 13.

High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Color

- HC-ALARC-WC Wired Camera - \$184.00
- HC-ALARC-GC Wireless Camera & 2.4 GHz Transmitter - \$357.00
- HC-ALARC-GC-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$453.00

Black & White

- HC-ALARC-W Wired Camera - \$162.00
- HC-ALARC-G Wireless Camera & 2.4 GHz Transmitter - \$325.00
- HC-ALARC-G-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$431.00

Suspended Animation Clock Hidden Camera



A hidden camera disguised as a suspended animation clock. This is a fully-functional black clock with built in alarm. It includes a red programmable LED float message that creates an optical illusion of time, dates and messages that appear to float in mid-air. Includes 20 built-in messages or create and store personal greetings up to 112 characters. Daylight Savings Time can be turned on or off. Just plug in and go.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-ANMCK-W Wired Camera - \$172.00
- HC-ANMCK-G Wireless Camera & 2.4 GHz Transmitter - \$337.00

Color

- HC-ANMCK-WC Wired Color Camera - \$196.00
- HC-ANMCK-GC Wireless Camera & 2.4 GHz Transmitter - \$359.00

Camera Specifications

Image Sensor:
Resolution:
Min. Illumination:
Lens:
Power Required:

Black & White

1/3" Sony CCD
420 Lines
.003 Lux
3.7mm Wide Angle
12 volts

COLOR

1/3" Sony CCD
420 Lines
0 Lux
3.7mm Wide Angle
12 Volts

HIDDEN CAMERAS



Air Freshener Hidden Camera

The air freshener hidden camera is non-functioning as an air freshener but is perfect as a hidden camera. The air freshener is powered by an 8 hour rechargeable battery pack, no wires or cords to plug in. Just set-up and go. You'll be able to see everything happening in the room. Measures 8.5" by 3.5".

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

•HC-ARWCK-G Wireless Camera & **FREE** 2.4 GHz Transmitter - \$354.00

Color

•HC-ARWCK-GC Wireless Camera & 2.4 GHz Transmitter - \$376.00

Exit Sign Hidden Camera

You get safety and security all in one with an EXIT Sign hidden camera. Durable, safe for cool or hot conditions. Universal, easy snap fit installation. AC only, 120 VAC, 12 watts.

Options: Available with built-in DVR. Completely self contained. No additional recording device is needed. Video captured by camera is stored on a SD Card. See page 13.

High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).



Black & White

•HC-EXITS-W Wired Camera - \$136.00

•HC-EXITS-G Wireless Camera & 2.4 GHz Transmitter - \$303.00

•HC-EXITS-G-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$429.00

Color

•HC-EXITS-WC Wired Camera - \$159.00

•HC-EXITS-GC Wireless Camera & 2.4 GHz Transmitter - \$332.00

•HC-EXITS-GC-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$458.00

Mirror Hidden Camera

Mirror, mirror on the wall, catch that burglar once and for all. The Mirror hidden camera has a natural wood finish frame and measures 15"(l) x 12"(w) x 2 3/4"(h). Powered by an 8 hour rechargeable battery pack, no wires or cords to plug in.

Options: High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

•HC-MIRRO-G Wireless Camera & FREE 2.4 GHz Receiver - \$417.00

•HC-MIRRO-G-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$512.00

Color

•HC-MIRRO-GC Wireless Camera & FREE 2.4 GHz Receiver - \$439.00

•HC-MIRRO-GC-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$543.00



Camera Specifications

Image Sensor:

Black & White

1/3" Sony CCD

COLOR

1/3" Sony CCD

Resolution:

420 Lines

420 Lines

Min. Illumination:

.003 Lux

0 Lux

Lens:

3.7mm Wide Angle

3.7mm Wide Angle

Power Required:

12 volts

12 Volts

HIDDEN CAMERAS



Tower Fan Hidden Camera

The Wind Tower hidden camera is ideal for most locations in your home. The fully-functioning space-saver fan was designed for quiet performance. Features include: rotating fan/camera pans left and right, three speeds and child safety grills to protect fingers. It's light weight design allows for easy portability. Dimensions: 12.25" x 4.9" x 5.4".

Options: Available with built-in DVR. Completely self contained. No additional recording device is needed. Video captured by camera is stored on a SD Card. See page 13.
High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-WNDTN-G Wireless Camera & FREE 2.4 GHz Receiver - \$320.00
- HC-WNDTN-G-HP Wireless Camera & High Power 2.4 GHz Receiver - \$446.00

Color

- HC-WNDTN-GC Wireless Camera & FREE 2.4 GHz Receiver - \$349.00
- HC-WNDTN-GC-HP Wireless Camera & High Power 2.4 GHz Receiver - \$475.00

Boom Box Hidden Camera



Fully-functional portable AM/FM radio with CD Player hidden camera. AM/FM radio, CD/CD-R/RW playback, headphone jack. 2 way power: AC/DC or 8 C batteries (batteries only power boom box and are not included). CD player is fully programmable with repeat and random. Dimensions: 14.5" x 9" x 5"

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Options: Available with built-in DVR. Completely self contained. No additional recording device is needed. Video captured by camera is stored on a SD Card. See page 13.
High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Black & White

- HC-BMBOX-W Wired Camera - \$172.00
- HC-BMBOX-G Wireless Camera & 2.4 GHz Transmitter - \$337.00
- HC-BMBOX-G-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$456.00

Color

- HC-BMBOX-WC Wired Camera - \$196.00
- HC-BMBOX-GC Wireless Camera & 2.4 GHz Transmitter - \$359.00
- HC-BMBOX-GC-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$478.00

CO Detector Hidden Camera



This is a non-functioning carbon monoxide detector hidden camera. This hidden camera is ideal because it plugs right in to a wall socket and can utilize many locations. It can even be plugged into an outlet close to the floor and still view the entire room. This item cannot be used to detect carbon monoxide.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-CBNDT-G Wireless Camera & 2.4 GHz Transmitter - \$315.00

Color

- HC-CBNDT-GC Wireless Camera & 2.4 GHz Transmitter - \$340.00

Camera Specifications	Black & White	COLOR
Image Sensor:	1/3" Sony CCD	1/3" Sony CCD
Resolution:	420 Lines	420 Lines
Min. Illumination:	.003 Lux	0 Lux
Lens:	3.7mm Wide Angle	3.7mm Wide Angle
Power Required:	12 volts	12 Volts

HIDDEN CAMERAS

CD Clock Radio Hidden Camera

A fully-functioning Clock Radio hidden camera is perfect for bedrooms. It's a CD player, a clock and a radio all in one. Features include dual alarm times - perfect for weekdays and weekends, wake-up to a CD, alarm buzzer or radio and a large backlit display showing the time, CD track or radio frequency. Just plug in and go. Dimensions: 9" x 7.5" x 3.5"



Options: High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-CDCRD-W Wired Camera - \$221.00
- HC-CDCRD-G Wireless Camera & 2.4 GHz Transmitter - \$385.00
- HC-CDCRD-G-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$495.00

Color

- HC-CDCRD-WC Wired Camera - \$244.00
- HC-CDCRD-GC Wireless Camera & 2.4 GHz Transmitter - \$408.00
- HC-CDCRD-GC-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$512.00

Down View Smoke Detector Hidden Camera

The Down-View Smoke Detector hidden camera works best when mounted to the ceiling. Therefore it can be installed in various locations such as over a cash register or stock receiving doors. The smoke detector is non-functioning and should not be used as a safety device. Powered by included 12V power supply.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-DNVSM-W Wired Camera - \$164.00
- HC-DNVSM-G Wireless Camera & 2.4 GHz Transmitter - \$366.00

Color

- HC-DNVSM-WC Wired Camera - \$187.00
- HC-DNVSM-GC Wireless Camera & 2.4 GHz Transmitter - \$388.00



Tissue Box Hidden Camera

The wireless Tissue Box hidden camera is actually a cover that slips over an existing box of tissues. The Tissue Box comes in a shiny black finish and fits multiple applications. Powered by an 8 hour rechargeable battery pack, no wires or cords to plug in.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-TISSU-G Wireless Camera with FREE 2.4 GHz Receiver - \$357.00

Color

- HC-TISSU-GC Wireless Camera with FREE 2.4 GHz Receiver - \$371.00

Camera Specifications

	Black & White	COLOR
Image Sensor:	1/3" Sony CCD	1/3" Sony CCD
Resolution:	420 Lines	420 Lines
Min. Illumination:	.003 Lux	0 Lux
Lens:	3.7mm Wide Angle	3.7mm Wide Angle
Power Required:	12 volts	12 Volts

HIDDEN CAMERAS

Screw Hidden Camera

Talk about a hidden camera. Mount anywhere a screw would normally be found. Who would ever notice a tiny little screw is actually a camera? Wireless cameras powered by an 8 hour rechargeable battery pack, no wires or cords to plug in. Wired cameras you just plug into a electrical socket. Black & White models do not include X-Vision, minimum illumination is .05 Lux. Wireless range of 300 feet.

Black & White

- HC-SCREW-W Wired Camera - \$113.00
- HC-SCREW-G Wireless Camera & 2.4 GHz Transmitter - \$181.00

Color

- HC-SCREW-WC Wired Camera - \$184.00
- HC-SCREW-GC Wireless Camera & 2.4 GHz Transmitter - \$283.00



Button Hidden Camera

This Button Camera will replace a button on your shirt. Includes 5 additional buttons so that all buttons on your shirt match. Wireless cameras powered by an 8 hour rechargeable battery pack, no wires or cords to plug in. Wired cameras you just plug into a electrical socket. Black & White models do not include X-Vision, minimum illumination is .05 Lux. Wireless range of 300 feet.

Black & White

- HC-BTNM-W Wired Camera - \$113.00
- HC-BTNM-G Wireless Camera & 2.4 GHz Transmitter - \$181.00

Color

- HC-BTNM-WC Wired Camera - \$184.00
- HC-BTNM-GC Wireless Camera & 2.4 GHz Transmitter - \$283.00



Electrical Box Hidden Camera

If you need to monitor the outside of your property you will need the wireless Electrical Box hidden camera. Just mount to a building or pole and you're ready to start monitoring. The box measures 4 inches x 4 inches x 2 1/2 inches and is weatherproof. Powered by an 8 hour rechargeable battery pack, no wires or cords to plug in.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Options: Models with built-in DVR are completely self contained. No additional recording device is needed. Video captured by camera is stored on a SD Card. Couldn't be simpler than this.

Black & White

- HC-ELCBX-G Wireless Camera & 2.4 GHz Transmitter - \$349.00

Color

- HC-ELCBX-GC Wireless Camera & 2.4 GHz Transmitter - \$368.00



Cordless Phone Hidden Camera

A board camera turns this 2.4GHz combination cordless phone system into a hidden camera. You receive 1 handset and base. Features include a digital answerer with message counter and remote access. Call waiting and caller ID capabilities with English or Spanish voice prompts. Can be mounted to a desk or wall and is hearing aid compatible. Camera is in the base of the phone. Phone is completely functional.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-CORPH-W Wired Camera - \$167.00
- HC-CORPH-G Wireless Camera & 2.4 GHz Transmitter - \$334.00

Color

- HC-CORPH-WC Wired Camera - \$189.00
- HC-CORPH-GC Wireless Camera & 2.4 GHz Transmitter - \$357.00



Camera Specifications

	Black & White	COLOR
Image Sensor:	1/3" Sony CCD	1/3" Sony CCD
Resolution:	420 Lines	420 Lines
Min. Illumination:	.003 Lux	0 Lux
Lens:	3.7mm Wide Angle	3.7mm Wide Angle
Power Required:	12 volts	12 Volts

HIDDEN CAMERAS

Desk Top Speakers Hidden Camera



A cheating spouse or snoop would never suspect the Computer Speakers hidden camera is watching them. The fully functional 2-piece speaker system works with PC's, iPod, MP3, CD and DVD players. Includes easy power and volume controls with headphone output jack.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-DSKSP-W Wired Camera - \$126.00
- HC-DSKSP-G Wireless Camera & 2.4 GHz Transmitter - \$312.00

Color

- HC-DSKSP-WC Wired Camera - \$155.00
- HC-DSKSP-GC Wireless Camera & 2.4 GHz Transmitter - \$340.00

Emergency Light Hidden Camera

The Emergency Light hidden camera gives you safety and security. Emergency lights last up to 1 1/2 hours during a power outage. Can hang in a hallway, basement or any place you like. Includes 6 volt rechargeable battery (will only power light in power outage - not camera), high impact durable housing, test switch and LED charge indicator. Wireless units must be hardwired into buildings electrical circuit. Dimensions: 16" x 5"



Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-EMGLT-W Wired Camera - \$184.00
- HC-EMGLT-G Wireless Camera & 2.4 GHz Transmitter - \$369.00

Color

- HC-EMGLT-WC Wired Camera - \$230.00
- HC-EMGLT-GC Wireless Camera & 2.4 GHz Transmitter - \$420.00



Baby Monitor Hidden Camera

Having a new baby can be very stressful. You never want to leave their side and can barely get anything done around the house. Now you can know that your baby is safe at all times with the puppy dog monitor. He is powered by a single 9 volt battery. He sees and hears everything using a hidden camera and speaker. The signal is transmitted to a hand-held portable LCD monitor (uses 3 AAA batteries) that you can carry around the house. Monitor does not record. Wireless range of 300 feet.

Includes: Stuffed animal with 2.4 GHz wireless camera and microphone, Portable LCD monitor with volume control

- HC-BBMNT-GC Wireless Color Camera/Microphone & 2.4 GHz Transmitter - \$206.00

Vanity Mirror Hidden Camera



Vanity mirrors are watching more than make-up applications these days. The wireless Vanity Mirror hidden camera is perfect for a bedroom. Features on/off switch on the mirror base which powers the camera on or off and a two-sided mirror with normal and 5x magnification. Dimensions: 11.5" Tall, mirror has 6" diameter

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-VNTMR-G Wireless Camera & FREE 2.4 GHz Receiver - \$312.00

Color

- HC-VNTMR-GC Wireless Camera & FREE 2.4 GHz Receiver - \$334.00

Camera Specifications

	Black & White	COLOR
Image Sensor:	1/3" Sony CCD	1/3" Sony CCD
Resolution:	420 Lines	420 Lines
Min. Illumination:	.003 Lux	0 Lux
Lens:	3.7mm Wide Angle	3.7mm Wide Angle
Power Required:	12 volts	12 Volts

HIDDEN CAMERAS

Thermostat Hidden Camera



The thermostat is the last thing someone would suspect as a hidden camera. Just mount the Thermostat hidden camera to a wall and go. It's not only a hidden camera but functions as a thermostat, too! Includes 6 foot power supply.

Includes: Wireless cameras include 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-THMST-W Wired Camera - \$187.00

Color

- HC-THMST-WC Wired Camera - \$210.00

Motion Detector Hidden Camera



It is common to find Motion Detectors in places like homes and businesses but most people would not think one contains a hidden camera. Ideal because of it's small size. Motion Detector hidden camera can be used in many locations. Includes rotating base mount and installs easily using wall screws. Does not function as Motion Detector. Powered by included 12V power supply. Measures (2.75" x 2" x 4.5")

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-MOTIOD-W Wired Camera - \$94.00
- HC-MOTIOD-G Wireless Camera & 2.4 GHz Receiver - \$257.00

Color

- HC-MOTIOD-WC Wired Camera - \$125.00
- HC-MOTIOD-GC Wireless Camera & 2.4 GHz Receiver - \$289.00

Camera Specifications	Black & White	COLOR
Image Sensor:	1/3" Sony CCD	1/3" Sony CCD
Resolution:	420 Lines	420 Lines
Min. Illumination:	.003 Lux	0 Lux
Lens:	3.7mm Wide Angle	3.7mm Wide Angle
Power Required:	12 volts	12 Volts

Sprinkler Hidden Camera



Keep an eye on your office, warehouse, employees...can even be used to monitor your home or workshop. The hardwired sprinkler hidden camera offers the ultimate in covert surveillance because it can easily blend in it's environment. This is a down-view camera so it must be mounted to a ceiling use the included hardware. You will need to run power and video cables to this camera and connect it to a DVR for recording. Any of the DVRs we carry will work with this camera and we also have cables, connectors and signal boosters.

Includes: power adapter and user guide.

Color

- HC-SPRKN-WC Wired Sprinkler Hidden Camera - \$85.00

Sprinkler Camera Specifications	COLOR
Image Sensor:	1/3" Sony CCD
Resolution:	420 Lines
Min. Illumination:	0 Lux
Lens:	3.7mm Wide Angle
Power Required:	12 Volts
Dimensions:	3.25" W x 2.7" H

HIDDEN CAMERAS

Wall Clock Hidden Camera



It's time to know what's going on when you're not there. Do this with a standard quartz Wall Clock hidden camera. Diameter measures 11 1/4 inches. Just hang-up it up, plug it in and go.

Options: High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-WALLC1-W Wired Camera - \$140.00
- HC-WALLC1-G Wireless Camera & FREE 2.4 GHz Receiver - \$300.00
- HC-WALLC1-G-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$470.00

Color

- HC-WALLC1-WC Wired Camera - \$169.00
- HC-WALLC1-GC Wireless Camera & FREE 2.4 GHz Receiver - \$391.00
- HC-WALLC1-GC-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$504.00

Wall Clock Hidden Camera with Thermometer & Hygrometer



Think of all the times you would you like to know what's going on when you're away. Get a Wall Clock hidden camera and you'll always know...at any time. This wall clock's diameter measures 13 1/2 inches and includes a thermometer and hygrometer.

Options: High Power is available with most 2.4 GHz transmitters and will increase transmission distance up to an additional 1500 feet...increasing your wireless transmission up to 2500 feet.

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value), Black and white cameras feature .003 Lux which allows best possible images in almost complete darkness. Camera requires some ambient light (night light, television).

Black & White

- HC-WALLC2-W Wired Camera - \$162.00
- HC-WALLC2-G Wireless Camera & FREE 2.4 GHz Receiver - \$391.00
- HC-WALLC2-G-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$504.00

Color

- HC-WALLC2-WC Wired Camera - \$184.00
- HC-WALLC2-GC Wireless Camera & FREE 2.4 GHz Receiver - \$414.00
- HC-WALLC2-GC-HP Wireless Camera & High Power 2.4 GHz Transmitter - \$527.00

Camera Specifications

	Black & White	COLOR
Image Sensor:	1/3" Sony CCD	1/3" Sony CCD
Resolution:	420 Lines	420 Lines
Min. Illumination:	.003 Lux	0 Lux
Lens:	3.7mm Wide Angle	3.7mm Wide Angle
Power Required:	12 volts	12 Volts

Hidden Cameras with Built-In DVR

Something fishy is going on but you can't put your finger on it. You need a hidden camera to catch what you can't, but how do you record what the camera sees? Where do you put the DVR? How much cable do you need? If you go wireless, will there be interference? Skip the headache and guesswork with one of our hidden cameras with a built-in DVR. Literally, plug them in the wall, point them in the direction you want to record and using the remote, start recording. It's that easy.

To review what you recorded: for cameras with SD cards, you remove the SD card and plug it into the SD card reader on your computer. If you don't have a SD card reader, we have them available. Cameras without SD cards plug directly into your computer via USB.

Car Key Hidden Camera with Built-in DVR & Audio



Looks just like a remote car key but is really a hidden camera with audio and a built-in mini DVR. No drivers or outside power source needed. It will charge plugged into your computer with the included USB cord.

It holds 8 Gigs of files which you can watch on practically any media software that supports AVI files. This is over 3 hours of recorded material before you need to delete or download. Just view on your computer. The battery will last up to 2 hours on a single charge. Dimensions 2" x 1 1/4" x 3/8"

Includes: Car Key DVR, USB Cord for recharging and transferring video/photos, User manual, Gift Box

Specifications: Video format: AVI, Video Resolution: 640x480, Camera Resolution: 1280x960, Battery:280mAh 3.7V, 29 Frames Per Second (FPS), Dimensions 2" x 1 1/4" x 3/8"

- HC-CARKY Portable Car Key Hidden Camera with DVR & Audio - \$175.00

Hidden Cameras with Built-In DVR

Stick Hidden Camera with Built-in DVR & Audio



If your surveillance needs require mobility then this mini spy camera is for you. This all in one video and audio recorder is perfect for capturing surveillance video and still shots on the fly. No need to bother with multiple devices and the pocket clip allows for hands free recording. Just turn it on and go.

Surveillance stick is complete with camera and 2 GB DVR. Built-in lithium battery lasts up to 2 hours and is recharged when you connect it to your computer's USB port. There is no additional software needed to view video on your computer. Supports Windows 98/98SE/2000/XP/VISTA OS/ Linux, it can auto-identify the operating system and install related drivers, no need to manually install (except Windows 98).

Features: pocket clip, built-in 2GB of memory, AVI video format (352 x 288), instructional manual, records audio and video, time/date stamp overlay, captures still snapshots, no additional software needed, micro SD card slot.

Specifications: Image Sensor: 1/6 Color CMOS, Resolution: 352x288, Memory: 2GB, Video Format: AVI, Pixels: 300,000, View Angle: 500 degrees, Dimensions: 2 7/8" (h) x 3/4" (w) x 1/2" (d)

•HC-STICK Portable Stick Hidden Camera with DVR & Audio - \$89.00

Watch Hidden Camera with Built-in DVR & Audio



Our Watch Hidden Camera is a state of the art body worn complete surveillance system. This wire-free wristwatch contains the latest in miniaturized video technology. We've squeezed a color camera, microphone, power source and a 4 GB digital video recorder inside a stylish silver watch. The watch is also fully functional. Just slide the watch on your wrist, press the power switch and go. Perfect for covert evidence collection or hidden investigation or surveillance assignments. When you are ready to view the video or recharge the built-in lithium battery (full battery runs 2 hours), simply plug the watch into your computer's USB port. No additional software required to view video but you will need an MPEG-4 viewer. Supports 98/98SE/2000/XP and VISTA.

Features: fully functional, micro all-in-one surveillance system, body worn, color camera, microphone, 4 GB DVR, time & date stamp, rechargeable lithium battery, AVI video format.

Specifications: Image sensor: 1/6 color CMOS, Pixel: 300,000 pixels, Audio: Yes, View Angle: 50 degrees, Interface: USB 2.0, Store Memory: built-in Flash 4GB, Video File Size: about 6-8 Megs per minute (depending on audio), Recording Mode: Continuous recording, Photo formats: JPEG, Photo resolution: 640*480 pixels, Video formats: AVI, Image resolution: 352*288 pixels, Video Record Speed: 15 FPS, Battery Type: built-in Rechargeable Lithium-ion 4.2V, Battery Capacity: 270mHA, Working Current: 200mA, Battery Support time: about 2 hours, Adaptor Type: USB adaptor charging cable, Charging time: Takes 2-3 hours •HC-WATCH Portable Watch Hidden Camera with DVR & Audio - \$118.00

Pen Hidden Video Camera/Mini DVR/Thumb Drive with Audio



This pen hidden camera plus audio is a super small camera with a mini DVR to record all the action. It even writes like a normal pen. No drivers or outside power source needed. It will charge plugged into the wall and when it is plugged into the computer.

Perfect camera for "body worn" application. Just click it like you would any ball point pen to start recording. Can record for a full two hours on a single charge. Recordings can be later downloaded via high speed USB 2.0 to your PC for viewing and storing. Battery will last up to 2 hours on a single charge.

You can even use it as a thumb drive to move files from one computer to another. Will hold 2 Gigs of files. Supports Windows 98/98SE/2000/XP/VISTA and Linux, it can auto-identify the operating system and install related drivers, no need to manually install (except Windows 98).

Features: Ball-point pen shape with both video/audio recorder and highly sensitive microphone can record the audio clearly in the range of 15 feet, working ball point pen with exchangeable standard ball-point refill, suitable for any computer and other equipment with USB port, USB2.0 Standard port, no need of drivers and external power supply

Specifications: Image Sensor: 1/6 Color CMOS, Resolution: 352x288, Memory: 2GB, Video Format: AVI, Pixels: 300,000, View Angle: 500 degrees

•HC-PEN Portable Pen Hidden Camera with DVR & Audio - \$101.00



Hidden Cameras with Built-In DVR

Lighter Hidden Camera with Built-in DVR & Audio



This Lighter Hidden Camera with built-in DVR is one of the most mobile surveillance devices we offer and it really functions as a lighter! It is completely covert, there are no tell tale signs that the camera is on or recording. The 4GB of internal memory can store up to 8 hours of recording. The battery will last up to 2 hours on a single charge. Once you're done recording, simply connect it to a computer via USB and download/view the video. Also records audio.

Specifications: Image sensor: 1/6 color CMOS, Audio: Yes, View Angle: 50 degree, Interface: USB 2.0, Storage Memory: 4G, Video formats: AVI, Battery: built-in Rechargeable Lithium-ion 4.2V, Video resolution: 1280x960 pixels, Video Record Speed: 25 FPS

•HC-LIGTR-DVR Lighter Hidden Camera with DVR - \$123.00

Sunglasses Hidden Camera with Built-in DVR & Audio



Sunglasses with a mini spy camera and DVR. Make your spy videos in style and ease using this covert camera sunglasses set with 4GB of on board flash memory and the ability for even more video storage via a micro SD (TF) card slot up to 8GB.

With amazing quality video in 3GP format at 640x480 resolution and 25fps, easy 2 button control, a long lasting rechargeable battery, and polarized lenses for eye protection, you have a true spy gadget every surveillance buff will be proud to own.

Specifications: Camera: 1.3 MP CMOS Color Sensor, Field of View: 60 Degrees, Built In Microphone Range: 2m, Storage: 4GB, Micro SD: Up to 8GB, Typical Battery Life: 3.5 Hours from 5 Hour Charge, Video Format:

AVI, Resolution: Video 680x480 Photo 1280x960, Frame Rate: 25 FPS, Power Source: Internal 550mAh Battery (USB Charger), Dimension: 160mm x 160mm x 36mm (L x W x D)

Other Features: Stylish Design, Polarized Lenses, Easy 2 Button Control

Includes: Manual, Glasses Case, USB Power Adapter, USB Charging Cable

•HC-SUNGL-DVR Sunglassed Hidden Camera with DVR - \$162.00

Rearview Mirror Camera with Built-in DVR & Audio



The Rearview Mirror Camera has a 1/4 inch digital CMOS Color Camera built in, and a slot that accepts SD Memory cards up to 16GB (8GB SD card included). This rear view mirror also doubles as a video/audio recorder and a DVR (digital video recorder).

This rear view mirror's built-in color camera can rotate 330 degrees to view anywhere you want. Face it forward or turn it to view inside your car. You can continuously record what happens in front of the car or inside the car.

Also includes an wireless external camera that you can set up on the rear dash or attach to the outside of the car.

A 3.6 inch TFT LCD (Thin Film Transistor Liquid Crystal Display) monitor on the mirror allows you to instantly playback video and watch it in real-time 30 FPS. You can choose between the front or the external camera with the touch of a button.

This rear view mirror camera has a built in rechargeable battery. You can also run it off your car's auxiliary cigarette lighter. You can also

recharge the battery by plugging into your computer using the included USB cord. Battery life is approximately 3 hours.

The mirror installs easily into your car by clipping onto your existing rear view mirror.

Camera Specifications: HDR Imaging Sensor: 1/4 inch digital Color CMOS, Horizontal Resolution: 420TV Line Pixel: 640 x 480 (NTSC) / 320 x 240 (PAL), Manual Adjust Focus, Minimum Illumination: 0.1Lux, View Angles: 90 degrees, Operating Range: 100m, Operating Temperature: (-10)-(+40) Degree Celsius, Operating Humidity: 85%RH

Includes: User Manual, 8GB SD card, Car Cigar Charger, USB Cable, Rear View Camera with IR, Can be used Wirelessly or Wired

DVR Specifications: Frequency: ISM 2,400 - 2,483MHz, Work current: 500 mA, Compression Format: MPEG-4 H264, AVI Video Resolution: 640 x 480 (NTSC), FPS/Second: 30 fps (NTSC), Internal Memory: 32MB, Maximum SD Capacity: 16GB, Operating Temperature: (-10)-(+80) Degree Celsius, Operating Humidity: 85%RH, Video Output: 1Vp-p@75 ohm, S/N>38dB, Audio Output: 1Vp-p@600 ohm

•HC-RVM Rearview Mirror Hidden Camera with DVR - \$425.00

Hidden Cameras with Built-In DVR

Mini Desk Clock Hidden Camera with Built-In DVR & Audio

This fully functioning Mini Desk Clock Hidden Camera can be used almost anywhere you go. Place it anywhere in your home to catch a cheating spouse or abusive nanny. Record activity in your hotel room while you're out. All controls are located on the bottom of the clock base.

Features: Color Camera 300K Pixels, Functioning clock, Video Format AVI, 15 FPS, Resolution 640x480, Memory 4GB Internal, Video Recording with time and date stamp on display playback, USB 2.0(Hs), Built-in rechargeable Li-Battery, Last approximately 1.5 hours per single charge, Dimensions 1 7/8" x 1 3/4" x 5/8", No driver needed if the operating system is Windows ME/2000/XP/ or above

•HC-CLOCK-DVR Mini Desk Clock Hidden Camera with DVR - \$128.00



Controls Under the Clock
- Time Adjustment
- Power Key
- USB Port
- Reset Key
- Microphone

Motion Detector Alarm Hidden Camera with Built-In DVR

Features: PIR detection & motion detection, working steady - when someone intrudes, it will start recording/snap automatically - AVI recording and JPG snap optional - Overwriting when memory is full - With 128M built-in flash memory - Support 8G SD card (Optional) - Internal 1/3" SONY CCD camera makes pictures clearly - Internal lithium battery - Real time clock record the time for every video/picture - Mode Exchange for PAL/NTSC - Review the video and browse pictures via monitor or TV - Night vision, using in dark condition

Specifications: TV Mode: PAL / NTSC, Internal camera: SONY 1/3 CCD (CMOS is Optional), Horizontal resolution: 420 TV Line, Trigger for record: Motion detection, Trigger for alarm: Motion detection + PIR detection (optional), Power supply: DC 5V; Electric current: 500mA-800mA, AV out impedance: 75Ω; AV Out volt: 1Vp-p, PIR detection distance: ≈8M, View angle: ≈120 degree, Record Frame: PAL10 f/s NTSC10f/s, AVI Resolution: 320 X 240; JPEG resolution: 640 X 480, Memory: Flash memory and SD Card, SD card capacity: ≈8G byte, OSD: English, Alarm chip: Fixed code: PT2262 / Study code: SC1527, Surge resistance: 4.7MΩ optional, Data code: D1 low, D2 high, D3 empty, D4 empty, Wireless frequency: 315MHz/433MHz (optional), Li-battery capacity: 1800MAH, Battery recharge: >6 hours; Battery discharge: >3 hours, AC adapter: AC/110 240V, 50-60Hz, DC5V, 1.5A, RC distance: ≈8M, IR distance: 5M-8M; IR, 8G SD card using time: AVI video recording for 8-10days, snapshot for 25 days

•HC-MOTION-DVR Motion Detector Alarm Hidden Camera with DVR - \$242.00

Large Spot Light Hidden Camera with Built-In DVR

This weatherproof LED Spot Light Color Hidden Camera has a built-in DVR and is perfect for outdoor applications. It uses a 2.0 megapixel color digital camera to capture time and date stamped video when motion is detected. When motion is detected at night the powerful 80 LED spotlight automatically turns on. Camera has a slot for an external micro SD card up to 32 GB (not included). With an 8GB micro SD (included) card it will hold roughly 5 hours of video footage.

Features: Motion Activated Camera/Security light, Auto Lighting and motion detection, supports max 32GB SD Card, Auto overwrite when the memory is full, Digital Video Capture(640*480 pixel), 24 hour Standby

Specifications: Image sensor: 2.0 megapixels color, Memory: Support Max 32GB SD Card, View Angle: 120 degree, Interface: USB 2.0 and USB1.1 compatible, Detection: PIR Auto-detection-Auto light on, Recording Mode: 10 sec AVI video capture, Video Record Speed: 15 FPS, Video formats: AVI, Image resolution: 640x480 pixels, Power adapter: DC5V/1A, View range: 90 feet, Dimensions: 6.9" x 5.1" x 4.7"

•HC-SPLLG-DVR Large Spot Light Hidden Camera with DVR - \$204.00

Small Spot Light Hidden Camera with Built-In DVR

This weatherproof LED Spot Light Color Hidden Camera has a built-in DVR and is perfect for outdoor applications. It uses a 2.0 megapixel color digital camera to capture time and date stamped video when motion is detected. When motion is detected at night the powerful 80 LED spotlight automatically turns on. Camera has a slot for an external micro SD card up to 32 GB (not included). With an 8GB micro SD (included) card it will hold roughly 5 hours of video footage.

Features: Motion Activated Camera/Security light, Auto Lighting and motion detection, supports max 32GB SD Card, Auto overwrite when the memory is full, Digital Video Capture(640*480 pixel), 24 hour Standby

Specifications: Image sensor: 2.0 megapixels color, Memory: Support Max 32GB SD Card, View Angle: 120 degree, Interface: USB 2.0 and USB1.1 compatible, Detection: PIR Auto-detection-Auto light on, Recording Mode: 10 sec AVI video capture, Video Record Speed: 15 FPS, Video formats: AVI, Image resolution: 640x480 pixels, Power adapter: DC5V/1A, View range: 80 feet, Dimensions: 6.9" x 4.9" x 3.25"

•HC-SPLSM-DVR Small Spot Light Hidden Camera with DVR - \$187.00



Frequently Asked Questions

Surveillance Definitions -

AGC - Automatic Gain Control is an electronic circuit that keeps the video signal at a constant level (1volt peak-peak). Useful on cameras working at low light levels

AI - Auto Iris is an automatic method of varying the size of a lens opening in response to changes in scene illumination.

AWB - Auto White Balance is an electronic process used in video cameras to retain true colors. It is performed electronically on the basis of a white object in the picture.

CCD - Charged Coupled Device: It is analog technology. The CCD camera has a little bit higher resolution than CMOS. The camera also functions better in low light. A CCD camera drains a little bit more power than the CMOS cameras. It uses 12v instead of 9v.

CMOS - Complementary Metal Oxide Semiconductor: a lower resolution camera compared to a CCD model. The advantage of a CMOS camera is that it uses lower operation current. CMOS camera is smaller than a CCD camera and works longer with the 9v battery.

HAD CCD - Hole Accumulation Diode is a type of CCD sensor with a layer designed to accumulate holes (in the electronic sense), thus reducing noise level.

S to N Ratio - Signal to Noise Ratio is simply the ratio of the signal power and noise power, expressed in decibels (dB). Or measure of noise on a video signal. It is represented in Decibels as the level of the video signal compared to the level of noise present on that signal. The higher the signal to noise ratio the better.

BLC - Balance Light Control is a method to compensate for bright spots in a picture. It is also important to consider whether there are bright spots in the picture such as car headlights which can make identification of the vehicle registration or model impossible. This can also be a major problem where it is necessary to identify a person who is moving from bright daylight into artificial light. This could result in the subject becoming an unidentifiable silhouette.

OSD - On Screen Display is a method of displaying set-up information or instructions on to a display monitor.

Resolution - Resolution measures the cameras ability to reproduce an image. The higher the resolution, the better the picture quality.

LUX - LUX is the measurement of low light needed for the camera to view and record properly.

FPS - Frames Per Second is the number of still frames (pictures) that give the illusion of motion, which appear in a single second of time. 30fps is considered "real time". So for real time viewing of your cameras, you need at least 30 fps for each camera.

IR - Infrared, IR LEDs are used on Day/Night cameras which allow the camera to see in the dark.

Focal Length - the distance from the surface of a lens to its focal point.

Questions -

How do hidden cameras work? A small board camera is built into an everyday item. The camera can be wired which means it is connected to the DVR or VCR using a cable. The camera can also be wireless, in this case the camera transmits a signal to a receiver that is connected to the DVR or VCR.

Can I get audio in my hidden camera? - No you cannot. According to United States federal laws, audio should not be used in a surreptitious manner. One example of surreptitious interception is audio in a hidden camera. This includes pinhole board cameras and all covert or hidden cameras; i.e., a clock radio. Audio in a hidden camera or board camera is only available to law enforcement agencies, with the exception of body worn cameras. Title 18, Section 2512.

What is the difference between a wired and a wireless camera? - Wired cameras have a video cable that runs from the camera to your recording or viewing device such as a DVR, VCR or monitor. Wireless cameras have a built-in transmitter that sends the video signal to a receiver. The receiver connects to your recording or viewing device.

How far can a wireless hidden camera transmit? - Standard wireless hidden cameras can transmit up to 1000 feet and high-powered wireless hidden cameras can transmit up to 2500 feet.

How many wireless cameras can you have in one location? - You can have up to four wireless cameras in one location. You can view all cameras at once using four receivers or you can use one receiver and switch to each camera. You will only be able to view one camera at a time if you only use one receiver. If you want to install multiple wireless cameras in one location it's best to order them at the same time so that we can put them on different channels.

Will a cordless phone interfere with wireless cameras? - Cordless phones that operate on the 2.4 GHz frequency will cause interference with 2.4 GHz cameras. Interference should be minimal and usually occurs if the phone is between the camera and receiver. Wireless Internet, networks and Wifi can cause interference too.

Frequently Asked Questions

What is a Quad? - A Quad is used with a VCR or other single channel recording device that splits your monitor into 4 sections allowing you to view 4 cameras at once.

What is a 2.4 GHz wireless frequency? - A frequency is used to transmit a signal or data like video. 2.4GHz is the specific wireless frequency that our transmitters use to send video signal to a receiver. All of our wireless cameras operate on the 2.4 GHz frequency. Range varies from 200' to 700' depending on environmental conditions. These units are FCC approved.

Are the transmitters FCC approved? - The transmitters used in all of our wireless systems are FCC and Industry Canada Certified.

What is CCD? - CCD is used in professional cameras because of it's high resolution quality and it's ability to record in low-light situations. CCD is basically a small silicon chip that receives light and turns it into voltage variations which makes up an image. It's usually measured in inches with 1/3" CCD being the standard. They are higher priced but are great for cameras that may require vision in near darkness.

Will a Quad allow four cameras to record at the same time? - Yes, you can record all four cameras at the same time. You can also record using a switching monitor, which will record the camera that is showing at that moment.

Do the receivers work through walls up to two feet thick? - Yes, as long as there isn't excessive amount of metal in the wall.

Do the plug and play connections require extra wire to run the signal back to the VCR or TV? - Yes, you need to buy the length of cable you need. We offer the CA-25, CA-50, CA-100 and CA-150.

What is the difference between a PC based DVR and a Embedded(stand alone) DVR? - A PC based DVR has all the functions of a computer. An embedded DVR functions only as a DVR.

How many hours will a DVR record? - The amount of time a DVR will record for is based on the size of the DVRs hard drive, the number of cameras recording and the number of frames per second it is recording at. Our stand alone DVRs uses 3.4GB per camera per day. 4 camera stand alone on 250GB hard drive will record for 18 days. 8 camera stand alone on 250GB hard drive will record for 9 days. 16 camera stand alone on 500GB hard drive will record for 9 days.

What is a Plug and Play connection camera? - It is an RCA Video plug and a power plug on the camera for easy connection to VCR or TV. This is done by running the RCA (Aux) line into the VIDEO IN of the VCR or TV. The TV or VCR must be set on the correct channel to view the VIDEO IN picture.

How many cameras can I hook up to one TV? - You can hook up as many cameras as your TV has inputs. Most TVs have 2 inputs but when using a quad you can hook up four cameras.

How long will the camera last with a 9-volt battery? - The BD-127 will last 5 hours.

Between what temperatures is it safe for cameras to operate in?

It is safe for B/W cameras to operate between -23°C to + 50°C or -10°F to +122°F

It is safe for color cameras to operate between -23° C to +40°C or -10°F to +104°F

It is safe to store cameras between -30°C to +70°C or -22°F to +158°F

What is the operating voltage of a camera? - Our cameras range from 9 volts (CMOS) to 12volts, and also 24 volt professional models.

What is a varifocal lens? - A varifocal lens is one where the focal length of the lens can be varied. This is a fancy way of saying it is a zoom lens. Most varifocal lenses have, and in almost all circumstances should have, an auto iris feature.

What is a fixed lens? - A fixed focal length lens cannot zoom. The focus is fixed. A fixed focal length lens usually allows more light to pass through the lens at a given focal length than a varifocal, or zoom lens. This can be important in low light situations.

Hidden Cameras with Built-In DVR

All of the cameras on this page use a DVR that features: motion activated and scheduled recording, motion detection area masking, time and date stamp, high, medium and low recording options, remote control operation, MPEG4 file format and composite video out. To control the features simply plug the camera into your TV, point and click.

You can either hook the camera up to a TV or computer monitor with the included RCA cable or remove the SD card and insert into the SD card reader on your computer or an external SD card reader you can order with your hidden camera.

DVR Record Time

Resolution	Frame Rate	Recording Quality		
		High	Med	Low
640x480	12 FPS	8hrs	48hrs	72hrs
320x240	30 FPS	16hrs	96hrs	144hrs



Exit Sign Hidden Camera

•HC-EXITS-DVR Color Camera With Built-In DVR - \$471.00

FREE 8GB SD-CARD Included

Exit sign is fully functional.



Alarm Clock Hidden Camera

•HC-ALARC-DVR Color Camera With Built-In DVR - \$492.00

FREE 8GB SD-CARD Included

Alarm clock is fully functional.



Air Purifier Hidden Camera

•HC-ARPUR-DVR Color Camera With Built-In DVR - \$471.00

FREE 8GB SD-CARD Included

Air purifier is fully functional. Dimensions: 8" x 8.5" x 4.5"



Air Freshener Hidden Camera

•HC-ARFSH-DVR Color Camera With Built-In DVR - \$471.00

FREE 8GB SD-CARD Included

Does not function as an air freshener. Dimensions: 5.25" x 6.5" x 3"



Electrical Outlet Hidden Camera

•HC-OUTLT-DVR Color Camera With Built-In DVR - \$453.00

FREE 8GB SD-CARD Included

Does not function as an electrical outlet.



Boom Box Hidden Camera

•HC-BMBOX-DVR Color Camera With Built-In DVR - \$509.00

FREE 8GB SD-CARD Included

Boom box is fully functional.



Wall Clock Hidden Camera

•HC-WALLC1-DVR Color Camera With Built-In DVR - \$471.00

FREE 8GB SD-CARD Included

Wall clock is fully functional.



Desk Lamp Hidden Camera

•HC-DSKLP-DVR Color Camera With Built-In DVR - \$514.00

FREE 8GB SD-CARD Included

Desk lamp is fully functional.



Tower Fan Hidden Camera

•HC-WNDTN-DVR Color Camera With Built-In DVR - \$487.00

FREE 8GB SD-CARD Included

Fan is fully functional.

Camera Specifications

COLOR
 Image Sensor: 1/3" CCD
 Resolution: 420 Lines
 Min. Illumination: 0 Lux
 Lens: 3.7mm Wide Angle
 Power Required: 12 Volts

DVR Specifications

System: NTSC/PAL
Codec: MPEG4-SP ASF
Frame Rate: 30 fps/320x240, 12 fps/640x480
Storage Media: SD Card
Power Required: 12 Volts

4, 8 or 16 Channel Digital Video Recorder (DVR) Systems

Whether you have a large or small area to secure, one of our DVR systems will work for you. Not only will this system digitally record video, but if you have Internet access you can see what is going on in real-time from anywhere in the world. Available in a wired or wireless version complete with cameras, a DVR and all necessary cables and components.

4 Channel Wireless Digital Video Recording Complete System



This surveillance system allows you to install up to 4 wireless cameras to digitally record all activity. This DVR has full networking capability and uses an embedded DVR which allows you to view live video on the Internet. This complete surveillance system includes the following plus mouse and remote and a just-for-you discount:

- (1) Stand Alone 4 channel DVR. (SA-DVR-4)
- (4) Day/Night Color Wireless Bullet Cameras (BC-30GC)
- (4) 2.4 GHz Video Receivers (TR-2.4)
- (1) 17 inch LCD Monitor (LCD-17)

If you bought these items separately this system would cost you \$2,328.00. But by purchasing the complete system you only pay \$2,158.00...a savings of \$170.00

•CS-DVR4CH-GC 4 Channel Wireless Surveillance System - \$2,158.00

4 Channel Wired Digital Video Recording Complete System



This surveillance system allows you to install up to 4 wired cameras to digitally record all activity. This DVR has full networking capability and uses an embedded DVR which allows you to view live video on the Internet. Keyboard and mouse included. This complete surveillance system includes the following plus a mouse and remote and a just-for-you discount:

- (1) Stand Alone 4 channel DVR. (SA-DVR-4)
- (4) Day/Night Color Wired Bullet Cameras (BC-30WC)
- (4) 100 foot Video Cables (CA-100)
- (1) 17 inch LCD Monitor (LCD-17)

If you bought these items separately this system would cost you \$1,656.00. But by purchasing the complete system you only pay \$1,523.00...a savings of \$133.00

•CS-DVR4CH 4 Channel Wired Surveillance System - \$1,523.00

8 Channel Wireless Digital Video Recording Complete System



This surveillance system allows you to install up to 8 cameras (4 wired and 4 wireless cameras) to digitally record all activity. This DVR has full networking capability and uses an embedded DVR which allows you to view live video on the Internet. This complete surveillance system includes the following plus a mouse and remote and a just-for-you discount:

- (1) Stand Alone 8 channel DVR. (SA-DVR-8)
- (4) Day/Night Color Wired Bullet Cameras (BC-30WC)
- (4) Day/Night Color Wireless Bullet Cameras (BC-30GC)
- (4) 100 foot Video Cables (CA-100)
- (4) 2.4 GHz Video Receivers (TR-2.4)
- (1) 17 inch LCD Monitor (LCD-17)

If you bought these items separately this system would cost you \$3,324.00. But by purchasing the complete system you only pay \$3,087.00...a savings of \$237.00

•CS-DVR8CH-GC 8 Channel Wireless Surveillance System - \$3,087.00

8 Channel Wired Digital Video Recording System



This surveillance system allows you to install up to 8 wired cameras to digitally record all activity. This DVR has full networking capability and uses an embedded DVR which allows you to view live video on the Internet. All cameras, cables, monitor, remote and mouse included. If you'd like to pick your own cameras, etc., we suggest you start with our 8 channel DVR. This complete surveillance system includes the following plus a just-for-you discount:

- (1) Stand Alone 8 channel DVR (SA-DVR-8)
- (8) Day/Night Color Wired Bullet Cameras (BC-30WC)
- (8) 100 foot Video Cables (CA-100)
- (1) 17 inch LCD Monitor (LCD-17)

If you bought these items separately this system would cost you \$2,652.00. But by purchasing the complete system you only pay \$2,450.00...a savings of \$202.00

•CS-DVR8CH 8 Channel Wired Surveillance System - \$2,450.00

4, 8 or 16 Channel Digital Video Recorder (DVR) Systems

16 Channel Wireless DVR Complete System



This surveillance system allows you to install up to 16 cameras (12 wired and 4 wireless cameras) to digitally record all activity. This DVR has full networking capability and uses an embedded DVR which allows you to view live video on the Internet. This mega video recording system is perfect for operations that need to keep an eye on a large number of locations. This complete surveillance system includes the following plus a mouse and remote and a just-for-you discount: (1) Stand Alone 16 channel DVR. (SA-DVR-16), (12) Day/Night Color Wired Bullet Cameras (BC-30WC), (4) Day/Night Color Wireless Bullet Cameras (BC-30GC), (12) 100 foot Video Cables (CA-100), (4) 2.4 GHz Video Receivers (TR-2.4), (1) 17 inch LCD Monitor (LCD-17).

If you bought these items separately this system would cost you \$4,861.00. But by purchasing the complete system you only pay \$4,555.00...a savings of \$306.00 •CS-DVR16CH-GC 16 Channel Wireless Surveillance System - \$4,555.00

16 Channel Wired Digital Video Recording System



This surveillance system allows you to install up to 16 wired cameras to digitally record all activity. This DVR has full networking capability and uses an embedded DVR which allows you to view live video on the Internet. This complete surveillance system includes the following plus a mouse and remote and a just-for-you discount: (1) Stand Alone 16 channel DVR (SA-DVR-16), (16) Day/Night Color Wired Bullet Cameras (BC-30WC), (16) 100 foot Video Cables (CA-100), (1) 17 inch LCD Monitor (LCD-17)

If you bought these items separately this system would cost you \$4,189.00. But by purchasing the complete system you only pay \$3,950.00...a savings of \$239.00 •CS-DVR16CH 16 Channel Wired Surveillance System - \$3,950.00

4 Channel Wired USB DVR Surveillance System



The USB DVR is a surveillance computer hardware that turns your home or office computer into a powerful, global-wide video surveillance system in 5 minutes or less. Now we've put together a complete wired USB DVR all-in-one surveillance package for you. **Will not work with Windows 7.**

4 Channel Wired USB DVR System includes the following plus a just-for-you discount:

- (1) USB Digital Video Recorder (DVR-USB)
- (4) Day/Night Color Wired Bullet Cameras (BC-30WC)
- (4) 100 foot Video Cables (CA-100)

If you bought these items separately this system would cost you \$545.00. But by purchasing the complete system you only pay \$497.00...a savings of \$48.00 •CS-USB4CH 4 Channel Wired Surveillance System - \$497.00

4 Channel Wireless USB DVR Surveillance System



The USB DVR is a surveillance computer hardware that turns your home or office computer into a powerful, global-wide video surveillance system in 5 minutes or less. Now we've put together a complete wired USB DVR all-in-one surveillance package for you. **Will not work with Windows 7.**

4 Channel Wireless USB DVR System includes the following plus a just-for-you discount:

- (1) USB Digital Video Recorder (DVR-USB)
- (4) Day/Night Color Wireless Bullet Cameras (BC-30GC)
- (4) 2.4 GHz Video Receivers (TR-2.4)

If you bought these items separately this system would cost you \$1217.00. But by purchasing the complete system you only pay \$1,100.00...a savings of \$117.00 •CS-USB4CH-GC 4 Channel Wireless Surveillance System - \$1,100.00

4, 8 or 16 Channel Digital Video Recorder (DVR) Systems

4 Channel DVR Complete System - Economy



This surveillance system allows you to install up to 4 wired cameras to digitally record all activity. This DVR does not have network capabilities and cannot be viewed from a remote location. This system is perfect if you do not have Internet and do not need to view activity remotely. Cameras are fully weatherproof.

This complete surveillance system includes the following:

- (1) Stand Alone 4 channel DVR
- (2) Day/Night Weatherproof Dome Cameras
- (2) Day/Night Weatherproof Bullet Cameras
- (1) Remote Control

DVR Specifications: Video Input = 4 composite BNC, Video output = 1 BNC, Real Time Recording = 120fps, Recording Resolution: 720x240 (NTSC), Hard Drive = 500GB, Dimensions 12.6" x 10.6" x 2.1"

•CS-DVR4CH-2304 4 Channel Wired Surveillance System - \$521.00

4 Channel DVR Complete System - Deluxe



This surveillance system allows you to install up to 4 wired cameras to digitally record all activity. DVR is fully networkable. Live and past video reviewed and controlled remotely. Cameras are fully weatherproof. This complete surveillance system includes the following:

- (1) Stand Alone 4 channel DVR
- (2) Day/Night Weatherproof Dome Cameras
- (2) Day/Night Weatherproof Bullet Cameras
- (1) Remote Control

DVR Specifications: Video Input: 4 BNC Connections, Video Output: 1 BNC Connector, 1 VGA Audio Input: 1 CH in, Audio Output: 1 CH out, Display Resolution: 720x480, Record Resolution: 360x240, Display Frame Rate: 120 FPS, Recording Frame Rate: 60 FPS, Hard drive: 500GB, PTZ: RS-485, Network: RJ-45, Multi-Language selections, Dimensions = 9.8" x 8.3" x 1.8"

•CS-DVR4CH-5104 4 Channel Wired Surveillance System - \$606.00

Bullet Camera Specs: Fully Weatherproof, Comes with Mounting Bracket, Sensor: 1/4" SHARP CCD, Resolution: 420TVL, Minimum Illumination: 1.0 Lux/F1.2, Lens: Board Lens 3.6mm, IR Range: 21 IR LEDs, 60 Feet IR distance, Power supply: DC12V, Operation temperature: 14-122°F, Dimensions: 3.15"(D) x 2.05"(H)

Dome Camera Specs: Fully Weatherproof, Comes with Mounting Bracket, Sensor: 1/4" SHARP CCD, Resolution: 420TVL, Minimum Illumination: 1.0 Lux/F1.2, Lens: Board Lens 3.6mm, IR Range: 21 IR LEDs, 60 Feet IR distance, Power supply: DC12V, Operation temperature: 14-122°F, Dimensions: 4.3"(D) x 2.95"(H)

576 Hour Digital Phone/Room Recorders

There are many reasons why conversations may need to be recorded, and using the latest technology will allow users to do so with convenience and speed. With our audio recorders you can record phone or room conversations.

Digital recordings can be played, replayed and recorded over without a loss in recording quality. These recorders have a voice activation feature which saves hours by only recording when sound is detected (feature only works with room recording). The two models below have mostly the same functions and features, except the DPR-N308 has an Aluminum injected case and a touch keypad while the DPR-N88 has a plastic case and push buttons.

- Touch keypad
- Aluminum case

Specifications:

Recording format: WAV (ADPCM), ACT, MP3, WMA - Power: Built-in Lithium Battery - Dimension (WHD): 30 mm x 114 mm x 14.5 mm - Weight: Approximately 4 pounds

Accessories:

Earphone, Ear Microphone, USB Cable, Audio Cable, AA Battery Charger, User Manual



•DPR-N308 576 Hour Phone/Room Recorder - \$111.00

Functions of Both: Stereo Recording - FM function and FM recording - Record up to 576 hours in LP mode - Scrolling display - Tools applications: Calendar; Autotimer for recording; Alarm Clock and Stopwatch - Files management; 3 default folders - Voice-Operated Recording (VOR) - A-B segment repetition - Recording via external ear microphone for telephone and mobile phone recording - Built-in hi-fi amplifier and HQ speaker - MP3 and WMA encoding for better quality sound recording - Music editing - Music playing: Playback MP3, WMA and OGG music files - High-speed USB 2.0 connection for rapid uploading/downloading - High capacity Lithium battery for long operation time - Supporting multi-language display - 19 languages: English, Japanese, Korean, French, German, Italian, Dutch, Portuguese, Spanish, Russian, Turkish, Swedish, Czech, Danish, Polish, Hungarian, Romanian, Simplified Chinese and Traditional



•DPR-N88 576 Hour Phone/Room Recorder - \$99.00

Specifications:

Recording format: WAV (ADPCM), ACT, MP3, WMA - Power: Built-in Lithium Battery - Dimension (WHD): 33 mm x 112 mm x 13 mm - Weight: Approx. .2 pounds

Accessories:

Earphone, Ear Microphone, USB Cable, Audio Cable, AA Battery Charger, User Manual

Embedded (Stand Alone) DVRs

Embedded DVRs do not use a Windows® operating system. In fact, there is no software at all on the hard drive. All functions are contained (embedded) on software encoded computer chips. View in real time. Easy setup. The Embedded series Digital Video Recorders (DVR) operate just like a VCR. However, they have many features that make them more powerful and easier to use than even the most advanced VCR.

This DVR converts analog video (NTSC or PAL) to digital images, and records them on a hard disk drive. Using a disk drive allows users to access recorded video almost instantaneously without having to rewind or fast forward tape. There is no need to adjust tracking. You can freeze frames and forward or rewind without image streaking or tearing. Digital video can be indexed by time/date or events, and users can instantly view video after selecting the time/date or event.

All features can be controlled from the front panel or from any computer. The rear panel provides convenient connection for video and audio input/output.

4 Channel Embedded DVR



Features: MPEG4 Video Compression and Network Streaming, USB Mouse / IR Remote Control Included, Multi-Lingual, USB Backup, works with Windows SmartPhone & PDA, all DVR functions controllable through remote access, 4 record quality settings, Manual/scheduled/motion detection recording, 12v power, 24 month warranty

Specifications: Video Format = MPEG4, Video Input = 4 ch composite BNC, Video Output = VGA & Composite BNC, Audio In = 1 ch RCA, Audio Out = 1 ch RCA, Hard Drive = 500GB, Recording Resolution = 720x240 (NTSC), 360 x 240 (NTSC), LAN Connector = RJ45, Dimensions = 8.5" (L) x 8" (D) x 1.5" (H) •SA-DVR-4 - \$595.00

8 Channel Embedded DVR



Features: Industrial durability shock resistance & stability, Records 8 channels simultaneously in high resolution (720x240), 12v power, New H.264 compression allows longer record time in same amount of space, Real time recording, USB backup, multi-lingual, playback and operate network, all DVR functions controllable through remote access, Easy to retrieve video, time and alarm information, easy to restore and power on in case of power failure, up to 8 wired cameras, includes mouse and remote control. 2 year warranty.

Specifications: Video input = 8ch composite BNC, Video output = Composite BNC, VGA output, Audio input = 2 ch RCA, Audio output = 2 ch RCA, Alarm input = 8ch, 3 Alarm outputs, LAN Connector = RJ45, PTZ Control = RS485, Frames per second = Real time 240fps, Hard Drive = 500GB, Dimensions 11" (L) x 10" (D) x 3" (H) •SA-DVR-8 - \$1,131.00

16 Channel Embedded DVR



Features: Industrial durability shock resistance & stability, Records 240fps on all 16 channels simultaneously in high resolution (720x240), 15v power, New H.264 compression allows longer record time in same amount of space, USB backup, multi-lingual, playback and operate network, all DVR functions controllable through remote access, DVD rewrite drive for burning record video to DVD, Easy to retrieve video, time and alarm information, easy to restore and power on in case of power failure, up to 16 wired cameras, includes mouse and remote control. 2 year warranty.

Specifications: Video input = 16ch composite BNC, Video output = Composite BNC, VGA output, Audio input = 2 ch RCA, Audio output = 2 ch RCA, Alarm input = 8ch, 3 Alarm outputs, LAN Connector = RJ45, PTZ Control = RS485, 240 Frames Per Second, Hard Drive = 500GB, Dimensions 17" (L) x 15" (D) x 3.5" (H) •SA-DVR-16 - \$1,748.00

Video Recording

Mini Digital Video Recorder



This portable motion activated mini digital video recorder can record up to 40 Hours of video. Video is viewed with the built-in 3.5" LCD Screen or you can connect it to a TV. Data can also be transferred to a computer via USB 2.0 cable (included). Unit can store about 910 hours of audio. This unit is great for body-worn applications and fits easily into a fanny pack.

Includes: AC/DC Adaptor, Lithium-Ion Battery, Carrying Case, Stereo Earphone, A/V Cable x 2, USB 2.0 Cable

Specifications: Video Recording: MPEG-4 Video Recorder/Player, Resolution: 320X240 Pixels, Power: DC5V /100~240 AC Adaptor, Size: 5"(W) x 3 3/8"(H) x 1 3/8"(D), Weight: 12 ounces, Storage Capacity: 40GB Hard Drive, Display: 3.5" LCD with LED Backlight, Interface: High Speed USB 2.0, Battery: 7.4 V 1800mAh rechargeable LI-Ion •DVR-9800 - \$791.00

Video Recording

USB Digital Video Recorder



The USB DVR is a surveillance computer hardware that turns your home or office computer into a powerful, global-wide video surveillance system in 5 minutes or less. Connect this compact device to any desktop or laptop via USB port. Then you can record live video from the camera connected to the PC's hard drive. **Will not work with Windows 7.**

Features: MPEG4 compression, records to HDD, USB DISK, ZIP Drive and CD/RW. Remote surveillance and PTZ control, user friendly interface, 5 levels of recording quality, Intel P4 Celeron processor minimum 1700MHz Motherboard Intel 845/865/915 series, HDD 80G minimum, RAM 256M minimum, Video Card GeForce2, GeForce4, FX5200, ATI Rage128 OS Windows 2000(SP4 above)/2003(SP1 above)/XP(SP2 above)/VISTA and Direct X 9.0 USB 2.0

Specifications: Input type: RCA, Video input: 4 ch, Audio input: 2 ch, Video output: 1 ch VGA, Display rate: 30fps, Recording rate: 30fps, Compression format: MPEG4, Video resolution: 640 x 480, 320 x 240, Record modes: motion, schedule, manual •DVR-USB - \$85.00

8 Channel Portable Digital Video Recording System



Perfect for Private Investigators, Building Contractors, Security Companies. This multi-channel portable DVR is a stand alone system. You can remotely configure this system through the Internet using the included software. Easily go from wireless to wired by just plugging in a cable. Can use up to 8 cameras including a combination of wired and wireless. Works with any of our security cameras. **Cameras not included.**

Features: Industrial durability shock resistance & stability, new H.264 compression allows longer record time in same amount of space, multi-lingual, simultaneously record, playback and operate network, all DVR functions controllable through remote access, Easy to retrieve video, time and alarm information, easy to restore and power on in case of power failure, up to 8 wired cameras or 6 wired and 2 wireless cameras, Built in 15 inch LCD Monitor, 1 year warranty (except battery). Mouse Included.

•PSS-8CH Wired or Wireless Multi-Channel Portable System - \$2,834.00

Specifications: Video input: 8ch composite, LAN Connector: RJ45, Resolution Record: 240fps (30fps per channel), Hard Drive: 500GB, Power: continuous, 110/240V AC and 2 hour backup battery, Camera Input: 8 - Inputs 2 wireless / 6 wired or 8 wired, Video System NTSC, Video Compression: H.264



Exterior Dimensions:
16.00"L x 13.00"W x 7.00"D
Weight: 19.05 lbs



IP Cameras

Unlike analog cameras, IP cameras can plug directly into your computer or DVR. They use an IP address to transmit video through a network using Ethernet/CAT5 cable. Because IP cameras can connect to any computer, DVR or existing network little to no additional hardware is required, reducing your system cost. All of the IP cameras include set-up and viewing software. Included IP camera software will support up to 16 cameras. Because IP cameras can connect into a network you can login remotely and view or playback video. You can also set-up email to notify you of motion. Power adaptor included with all IP cameras.

Wired and Wireless Indoor IP Camera

Features: Indoor wired or wireless cameras, easy to install and configure, clean and crisp picture.

Specifications: Resolution: 640 x 480, Image Sensor: Color CMOS, Lens: f: 4.57 mm, F: 1.9, OS: 98SE/ME/2000/XP, Power: DC 5V, switching type, Dimension: 5.25"(L) x 1.75"(H) x 2.75"(D)

- IP-224G Wireless Indoor IP Camera - \$227.00
- IP-225W Wired Indoor IP Camera - \$189.00



Wired



Wireless

Wired Indoor/Outdoor Infrared IP Camera

Features: Weatherproof IR/Day and night IP Camera, IR working distance: 60ft, Water Resistance: IP66, Video Compression: M-JPEG4

Specifications:

Image Sensor: 1/3" CCD, Horizontal Resolution: 420 TV Lines, Pixels: 704 x 576, OS: Windows 2000/XP Linux, LEDs: 23, Lens: Board Lens 6mm, S/N Ratio: 48dB (AGC OFF), Video Out: Composite (1.0Vp-p, 75), Power: DC12V 350mA, Dimension: 7.75"(L) x 2.5"(H) x 2.5"(D)

- IP-223W-IR Wired Indoor/Outdoor Infrared IP Camera - \$383.00



Board Cameras

Black & White Closed Board Camera

Not your typical board camera. This camera and circuit board is enclosed in a protective metal casing with bracket. This camera has 6 super LEDs for night vision. Camera features low power consumption and also has RCA connections for compatibility with most TVs.

Includes: 12 Volt DC power adapter and mounting bracket

Specifications: Image Sensor: 1/3" CCD, Lens: 3.6mm wide angle, Resolution: 380 TV lines
Min. Illumination: .5 Lux, Power: 12 volt

•BD-117W-IR Black & White Closed Board Camera - \$51.00



High Resolution Color CMOS Camera with Audio

Very small (3/4" x 3/4") audio/video camera. High resolution CMOS camera. Finally CMOS technology that virtually matches CCD quality at half the size. Plastic ABS enclosure.

Includes: 9 Volt power supply.

Specifications: Image Sensor: 1/3" CMOS, Resolution 400 Lines, Min. Illumination: .5 Lux(B/W) 1 Lux(Color), Lens: 3.7mm (B/W), 6mm (Color), Current Consumption:26mA Max.

•BD-127WC Wired Camera with Plug & Play - \$43.00



Dome Cameras

Dome cameras are simply board cameras built into a dome housing. We offer day-night domes equipped with high- power infrared LEDs for use indoors, outdoors and low-light conditions.

Pro Series Dome

This professional dome camera is built with a high resolution Sony CCD chip. This make's the camera extremely sensitive to light and perfect for low-light conditions. Dome is 4" in diameter.

Includes: 12 Volt DC Power Adapter

Specifications: Image Sensor: 1/3" CCD, Resolution: 420 TV Lines,
Min. Illumination: 0.5 Lux (B&W), .1 Lux (Color), Lens: 4mm, Power Required: 12V DC,
Current Consumption: 200mA Max

Black & White

•DC-111W Wired Camera with Plug & Play - \$51.00

Color

•DC-111WC Wired Camera with Plug & Play - \$123.00



Mini Dome Camera

This mini dome camera is just over 3" in diameter. Dome camera has a Sony 1/4" Super HAD CCD chip. This makes the camera extremely sensitive to light and perfect for low-light conditions.

Black & White

•DC-222W Wired Camera with Plug & Play - \$50.00

Color

•DC-222WC Wired Camera with Plug & Play - \$119.00

Includes: 12 Volt DC Power Adapter

Specifications: Image Sensor: 1/3" CCD (B&W), 1/4" Sony CCD (Color), Resolution: 380 TV Lines
Min. Illumination: 0.25 Lux (B&W), .5 Lux (Color), Lens: 3.7mm Microlens, Power Required: 12V DC,
Current Consumption: 200mA Max



Auto Iris Varifocal Dome

This dome camera has a Sony Super HAD CCD chip which makes it extremely sensitive to light and perfect for low-light conditions. Built-in this dome camera is an auto iris lens which automatically adjusts to changes in light so you get a better image. Manual zoom controls are accessed by removing the dome cover and adjusting the zoom. Dip switch controls (on the back of the camera AES, AI, AGC, AWB, BIC, FL) allow you to change various image settings. Dome is 4" in diameter.

Black & White

•DC-311W-AV Wired Camera with Plug & Play - \$128.00

Color

•DC-311WC-AV Wired Camera with Plug & Play - \$152.00

Includes: 12 Volt DC Power Adapter

Specifications: Image Sensor: 1/3" SONY HAD CCD, Resolution: 420 TV Lines,
Min. Illumination: .1 Lux (Color Mode), .2 Lux (B&W Mode), Lens: 4~9mm AutoIris Vari/F
Power Required: 12V, Current Consumption: 110mA Max (B&W), 120mA Max (Color)



Dome Cameras

Day/Night Infrared Dome Camera



This unique day/night dome incorporates a 1/3" Sony CCD chip, which automatically switches from color to black & white in low-light conditions. It comes with high-power LED's to enhance low light viewing and allows you to see up to 20 feet in total darkness. Dome is 4" in diameter.

Color

•DC-1214WC-DN Wired Day/Night Color Dome Camera - \$94.00

Includes: 12 Volt DC Power Adapter

Specifications: Image Sensor: 1/3" CCD, Resolution: 400 TV Lines, Min. Illumination: 0.4 Lux
Lens: Pin Hole Lens f3.7/F2.0, Power Required: 12V DC \pm 10%, Current Consumption: 110mA Max

Vandal-Resistant IR Day/Night High Resolution Color Dome Camera - 540 TV Lines



Protection in almost any environment! This Vandal-Resistant IR Day/Night Color Dome Camera is protected against nearly any kind of weather or attack by a tough, all-metal enclosure. It features a Sony 1/3" CCD chip for superior picture quality under almost any lighting conditions, with 36 IR LEDs for illumination.

The camera is fully adjustable; it manually rotates 360° and has a manual tilt of approximately 10° to 120°.

This dome camera has the highest IP (Ingress Protection) rating. A rating given to electronics as it relates to the amount of sealing they have against the entry of solid and liquid objects. It's IP66 rating means "dust tight; complete protection against contact" and "protection against heavy seas or powerful jets of water".

Specifications: Resolution: 540 TV Lines, Min. Illumination: 0.2 Lux, Lens: Image Sensor: 1/3" Sony 4--9mm Manual Zoom/F2.0, IRs: 36 pieces, Illumination Distance: 80 feet, Auto Electronic Shutter (AES), Auto Gain Control (AGC), Auto White Balance, Power Required: 12V DC, Current Consumption: 300mA Max

•DC-540WC-DN Vandal-Resistant IR Day/Night Color Dome Camera - \$142.00

Vandal-Resistant IR Day/Night High Resolution Color Dome Camera - 550 TV Lines



Protection in almost any environment! This Vandal-Resistant IR Day/Night Color Dome Camera is protected against nearly any kind of weather or attack by a tough, all-metal enclosure. It features a Sony 1/3" CCD chip for superior picture quality under almost any lighting conditions, with 36 IR LEDs for illumination.

The camera is fully adjustable; it manually rotates 360° and has a manual tilt of approximately 10° to 120°.

This dome camera has the highest IP (Ingress Protection) rating. A rating given to electronics as it relates to the amount of sealing they have against the entry of solid and liquid objects. It's IP66 rating means "dust tight; complete protection against contact" and "protection against heavy seas or powerful jets of water".

Specifications: Resolution: 550 TV Lines, Min. Illumination: 0.2 Lux, Lens: Image Sensor: 1/3" Sony 4--9mm Manual Zoom/F2.0, IRs: 36 pieces, Illumination Distance: 80 feet, Auto Electronic Shutter (AES), Auto Gain Control (AGC), Auto White Balance, Power Required: 12V DC, Current Consumption: 400mA Max

•DC-550WC-DN Vandal-Resistant IR Day/Night Color Dome Camera - \$184.00

Professional Cameras

Low Light, Outdoor Bullet Camera



This high resolution bullet camera may be used indoors and outdoors and in low-light conditions. Fully weatherproof camera available in wired or wireless. 4" long.

Specifications: Image Sensor: 1/3" CCD (B&W), 1/4" Color Interline CCD (Color), Resolution: 380 TV Lines, Min. Illumination: .5 Lux/F1.2 (B&W), 1 Lux/F1.2 (Color), Lens: 3.6mm, Micro lens, Power Required: 12V DC \pm 10%, Current Consumption: 200mA Max

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value)

Black & White

•BC-113W Weatherproof Wired Camera with Plug & Play - \$96.00

•BC-113G Weatherproof Wireless 2.4Ghz B/W Camera - \$247.00

Color

•BC-113WC Weatherproof Wired Camera with Plug & Play - \$142.00

•BC-113GC Weatherproof Wireless 2.4Ghz Color Camera - \$281.00

Professional Cameras

Day/Night Color Camera



This color bullet camera has a high quality digital CCD chip that automatically switches from color to black & white in low light conditions. To enhance low light visibility it has 30 built-in high infrared illuminators. Fully weatherproof. Comes with mounting bracket.

Specifications: Image Sensor: 1/4" COLOR CCD, Resolution: 420 TV Lines / 470 TV Lines, Min. Illumination: 1 Lux f2.0, 0 Lux IR ON, Lens: 4.3mm F1.8 Board, Power Required: DC12V \pm 10%, Current Consumption: 110mA (IR Off), 260mA (IR On), 320mA Max

Color

- BC-30WC-DN Wired Color Day/Night Bullet Camera - \$87.00
- BC-30GC-DN 2.4Ghz Wireless Color Day/Night Bullet Camera - \$283.00

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value)

Day/Night Camera with 56 Infrared LEDs



This camera is for outdoor use and low-light situations. This day/night color camera has 56 infrared LEDs which allows you to see and record in total darkness. Wired or wireless model available. Comes with mounting bracket.

Features: weather/tamperproof IR camera, high sensitivity in total darkness, free from noise, smear and heating, built-In 56 IR Illuminators & 1/3" CCD image sensor, see up to 60 feet in total darkness.

Specifications: Image Sensor: 1/3" Sony Super HAD CCD, Resolution: 420 TV Lines, Min. Illumination: 0.05 Lux (Infrared On), Lens: 6.0mm, Power Required: DC 12V, Current Consumption: 500mA

Color

- BC-60WC-DN Wired Day/Night Professional Camera w/56 LEDs - \$138.00
- BC-60GC-DN Wireless Day/Night Professional Camera w/56 LEDs - \$303.00

Includes: Wireless cameras include FREE 2.4 GHz receiver (a \$160.00 value)

220x Day/Night Zoom Camera



This color Day/Night zoom camera automatically switches from color to black & white in low-light conditions. Uses Super Sony HAD design to remove electronic holes which reduces noise level. Unique digital slow shutter to allow more light which creates better viewing in low-light conditions. Can be controlled via buttons on camera back. Great for use with our outdoor infrared illuminator. Unbelievable picture, highest quality!

Specifications: Image Sensor: 1/4" Sony Color CCD, Resolution: 480 TV Lines, Min. Illumination: .01 Lux, Lens: 220x zoom, Power Required: 12V

Includes: 12 Volt Power Supply •PC-220WC-DN Day/Night Zoom Camera - \$504.00



Back of Camera

High Resolution Day-Night Color Camera - 540 TV Lines

This Infrared day/night waterproof camera is a great camera for short range and outdoor applications. It is built with a 1/3" super HAD CCD pick up device and 56 IR LEDs. With the LEDs on you can see up to 150 feet at night.

This camera and the BC-49WL are the highest quality professional cameras we carry. Video is recorded in high resolution at 540 TV lines.

Specifications: Image Sensor: 1/3" SONY, Resolution: 540 TVL, Mini Illumination: 0 Lux (IR on), Infrared LEDs: 56, Lens: 4-9mm, Can be adjusted from back panel, Power Supply: DC12V, Dimensions: 6"(L) x 3.5"(W)

•BC-61W Wired Day/Night Professional Camera - \$167.00



High Resolution Day-Night Color Camera w/ Wide Angle Lens - 540 TV Lines

This Infrared day/night waterproof camera is a great camera for outdoor applications. It is built with a 1/3" super HAD CCD pick up device and 56 IR LEDs. With the LEDs on you can see up to 150 feet at night.

This camera and the BC-61W are the highest quality professional cameras we carry. Video is recorded in high resolution at 540 TV lines. Another great feature is a 9-22mm DC auto iris varifocal lens which will provide you with wide angle images!

Specifications: Image Sensor: 1/3" SONY, Resolution: 540 TVL, Mini Illumination: 0 Lux (IR on), Infrared LEDs: 56, Lens: 9-22mm (can be adjusted from back panel), Power Supply: DC12V, Dimensions: 6.3"(L) x 3.9"(W)

•BC-49WL Wired Day/Night Professional Camera with Wide Lens - \$167.00

Speed Dome Cameras



Speed Dome Camera

This high-tech camera in a rugged weatherproof housing is perfect for indoor or outdoor applications. Full pan/tilt/zoom capability allows for 360 continuous monitoring. It is designed to operate in any weather conditions and has a built-in heater. Perfect for monitoring businesses, buildings, streets, parking lots, etc.

Features: 230X Color/black zoom camera, 1/4" CCD, 480 TV lines,color 0.1 LUX ,black and white 0.01 LUX, auto focus, inside 23X optics/10X electronic zoom,lens(F=1.5,F=3.9mm-90mm),auto iris.

•PTZ-DOME Speed Dome Camera - \$793.00



High Speed Dome Camera

This high speed dome camera may be used indoors or outdoors and is fully weatherproof. It is designed to operate in any weather conditions and has a built-in heater. This camera uses cutting-edge technology including a high performance camera with a PTZ lens, rapid positioning, the ability to automatically adjust to changes in light and object distances, 360° continuous monitoring. Perfect for monitoring businesses, buildings, streets, parking lots, etc.

Features: 128 preset arbitrary storage, orientation exactitude, 360° continuous monitoring, speed: 0.5°-280°(64 level shift) without blind spot, vertical orientation is 180°, 216X color/black IR zoom camera, 1/4" CCD, 480 TV lines, color 0.1 LUX, black & white 0.002LUX, IR(on) 0 LUX, auto focus, inside 18X optics/12X electronic zoom, lens(4.1-73.8mm), auto iris.

•PTZ-DOMEHS High Speed Dome Camera - \$1,836.00

Dummy Cameras

Dummy cameras are non-functioning security cameras used to deter robbery, theft, and vandalism. However, they look just like real surveillance cameras. Four of our dummy cameras have a blinking red LED and operate on batteries. Three models even have fake power cords which make the dummy cameras almost exact replicas of real cameras. Although dummy cameras won't catch a criminal, studies have shown that just the presence of a camera has prevented crimes.

Professional Dummy Camera



This camera housing dummy camera looks just like the real thing. Real camera housing without the camera. Features a flashing LED, real video cable, weatherproof aluminum housing, and fully adjustable metal mounting bracket. Installs easily using stainless steel screws.

Specifications: Measures 10 3/4" long (rain shield extends 2 more inches) x 4" round. Operates on 2 "AA" batteries (not included).

•DM-PROL Professional Dummy Camera w/ LED - \$23.00

Boxed Housing Dummy Camera



This camera housing dummy camera looks just like the real thing. Real camera housing without the camera. Features a flashing LED, real video cable, weatherproof aluminum housing, and fully adjustable metal mounting bracket. Installs easily using stainless steel screws.

Features: authentic video cable, durable metal housing and can be used both indoors and outdoors.

Specifications: Measures: 7 1/8 x 2 1/8 x 2 1/4" (excluding mounting bracket). Operates on one "C" battery (not included). Will operate for approximately six months on one battery.

•DM-BOXL Dummy Camera In Boxed Housing - \$26.00

Dome Dummy Camera with Flashing LED



This dome surveillance dummy camera looks just like the real thing. Real camera housing without the camera. Features a flashing LED and metal mounting bracket. Installs easily using stainless steel screws. This unit contains a flashing red LED light which draws extra attention to the camera, particularly at night.

Specifications: Base measures 3 7/8" across and the dome is 2 3/4" high. Operates on 2 "AA" batteries (not included).

•DM-DOML Dome Dummy Camera w/ Flashing LED - \$16.00

Professional Dummy Camera with Flashing LED



This camera housing dummy camera looks just like the real thing. Real camera housing without the camera. Features a flashing LED, real video cable, weatherproof aluminum housing, and fully adjustable metal mounting bracket. Installs easily using stainless steel screws.

Features: authentic video cable, durable metal housing and can be used both indoors and outdoors.

Specifications: Measures: 10 x 4 x 4" (mounting bracket 10"). Operates on one "C" battery (not included). Will operate for approximately six months on one battery.

•DM-PROFlash Dome Dummy Camera - \$26.00

Dome Dummy Camera



This dome surveillance dummy camera looks just like the real thing. Real camera housing without the camera. Includes metal mounting bracket. Installs easily using stainless steel screws.

Specifications: Base measures 3 7/8" across and the dome is 2 3/4" high. Does not include LED

•DM-DOME Dome Dummy Camera - \$11.00

Bug/Frequency Detectors

If you think that someone is listening to your conversations or is watching you with a hidden camera, a bug detector will help you find the hidden microphone or camera. Our bug detector acts as a sweeper. You can turn it on and walk through a room. If any frequencies are detected the bug detector will notify you. The frequency detector must be within one foot of a wireless device before it can determine the frequency. Both detectors have a strength meter which measures how close you are to the bug. When searching your home or office for bugs be sure to search everywhere. Bugs come in many shapes and sizes some being smaller than a penny.

Frequency Detector with Strength Meter

Latest Technology in hand-held radio frequency detection. Built-in signal strength meter lets you know when you LCD screen displays actual frequency that is being detected. Full detection range from 1 MHz to 3 GHz. If you already know the location of the bug, this device is for you. It will tell you what frequency the bug is running on. It cannot locate a bug.

Specifications:

Frequency Range=1MHz to 3 GHz
 Battery=5 x AA 600m/AH NiCd
 Battery Life=6HRs in use/500 stand by
 Ant. Impedance=50 Ohms
 Frequency Display=10 Digit Liq. Crystal
 Silent Alert Mode=Yes
 Beeper=Yes
 Low Battery Indicator=Yes
 Barograph=Ultra Sensitive 5 Sections
 Dimensions=3.3" x 2.7" x 1.2".

Includes: Low frequency antenna, high frequency antenna and charger.

•AVD-110 Frequency Detector with Strength Meter - \$184.00



Bug Detector with Strength Meter

High quality hand held bug detector great for detecting wireless audio/video products. Built-in signal strength meter and sensitivity control. Full detection range from 1 MHz to 3 GHz.

This device can be used to locate a bug.

Specifications:

Frequency Range=1MHz to 3 GHz
 Battery=5 x AA 600m/AH NiCd
 Battery Life=6HRs in use/500 stand by
 Ant. Impedance=50 Ohms
 Frequency Display= 30Hr. Real/960Hr. Time Lapse
 Silent Alert Mode=No
 Beeper=Yes
 Low Battery Indicator=No
 Barograph=Ultra Sensitive 5 Sections
 Dimensions=3.9" x 2.75" x 1.2"

Includes: Antenna and charger.

•AVD-101 Bug Detector with Strength Meter - \$281.00



Lens Finder Bug Detector

The Wired or Wireless Camera Multifunctional Detector combines the latest laser frequency visual detection methods, as well as detecting the wide band radio frequency (RF) of wireless video and/or audio transmitters (bugs), in an easy to use hidden bug detector.

To operate the Wired or Wireless Camera Multifunctional Detector visual detection feature, simply look through the specially focused viewing port, and any camera lenses within a 10 foot range will appear to flash red, giving away their location. For wireless detection, just slide the control switch to the RF mode and wave it around the room and any objects like you were dusting them.

Features:

- Detects all hidden wired and wireless cameras and concealed wireless microphones
- 4 LEDs signal strength indication
- Dual strength indication: Sound and Vibrate/LED
- Sensitivity tuner for Distance adjustment
- Switchable Sound/Silent detection
- Comes with lens cleaning cloth

Specifications

- Laser Frequency Visual Detection
- RF Frequency Detection 1Mhz-6Ghz
- LED Signal Strength Meter
- Audible RF Alert
- Vibrating RF Alert
- Sensitivity Adjustment
- Operates on 2 AAA Batteries
- Deluxe Retail Packaging
- 4 x 2 x 1/2 inches

•AVD-272 Multifunctional Camera Detector - \$180.00



Black & White and Color Quad

A quad is an accessory to your surveillance system that splits a video monitor into 4 screens. Without a quad you would only be able view one camera at a time. A quad is only needed when you are using more than one camera and using a VCR or VISEC to record or when you are only monitoring and not recording at all.

The quads are high resolution real time quads that support up to 4 cameras. You also have the ability to playback and zoom in on recorded video. There are other products out there that can split a screen more than four ways. However, video quality worsens the more ways you split a screen. A quad is not needed when using a DVR to record because DVRs have a built-in quad.

Features include: Full duplex allows transfer of recording and playback video at the same time. 2x2 zoom, 60 frames per second, Real time clock, Title generator, On-screen display, No boarder for full quad display, 2H adaptive comb filters for Y/C separation



•QD-104 Black/White 4 Channel Quad - \$62.00

•QD-904R Color 4 Channel Quad - \$116.00

Camera and Surveillance Accessories

Camera Brackets

Camera brackets are used to mount cameras to ceilings, walls and buildings.

- BR-211-MW Camera Bracket 4" to 6" Curved w/Ceiling Clip WHITE - \$12.00



Camera Housing

Protect your cameras from weather and vandalism. 12" indoor/outdoor aluminum housing and 8 inch aluminum mounting bracket.



- HOU-12 12" Housing - \$57.00

8 Hour VHS Tape

This is a standard 8 hour VHS cassette tape. It can be used in any VCRs.



- VHS-8 - \$12.00

Amplified Microphone

This amplified microphone is used to boost sound within a 20-30 foot range. Can be used with any recording device or system with audio recording capabilities.



Specifications: Omni directional, Sensitivity: -48dB, Frequency 20-20K Hz, S/N Ratio more than 58dB, Impedance 600ohms 20%(at 1K Hz), Power Input: DC-12V, Power Current: 20mA, Output: RCA

- MIC-AMP Amplified Microphone - \$26.00

Not intended for covert audio recording. Check local laws.

Audio Pick Up Microphone

This microphone is used to pick-up sound in a room. Use with our wired cameras and wired surveillance systems.



Specifications: Omni directional, High Gain: -40db Can draw power directly from camera or plug into wall outlet (12V)

- MIC-PICKUP Amplified Microphone w/ Pick Up Box - \$26.00

2.4 GHz Receiver - 4 Channel



FREE with all 2.4 GHz wireless cameras. Receive up to 4 channels of wireless video with transmitters and receiver. Built-in directional antenna and manual channel switcher. Includes: RCA video outputs, power supply and RCA cable.

- TR-2.4 2.4 GHz Transmitter & Receiver - \$160.00
- TR-2.4-HP 2.4 GHz High Power Transmitter & Receiver - \$255.00

Passive Baluns

Passive baluns allow you to boost your signal when you have to use multiple cables so you don't lose quality. Easy installation. Built-in surge protector. Can extend cable up to 1800 feet for black & white, 1200 feet for color without loss of transmission.



- NT-601 Balun (Pair) - \$21.00

8GB Memory Card

8 GB memory card used to store high-quality digital still shots and video camera recordings. Can be used in any of our hidden cameras with built-in DVR.



- SD-CARD 8 GB Memory Card - \$43.00

Memory Card Reader

Lets you conveniently transfer still shots and video recordings from memory cards to mobile phones, computers, laptops, cameras, PDAs and other devices.



- SD-READ Memory Card Reader \$13.00

Power Supplies & Battery Packs



- AC-9500 9v Power Supply - \$9.00

- AC-12500 12 Volt Power Supply, 500mAh - \$14.00

- AC-121A 12 Volt Power Supply, 1000mAh - \$24.00



- AC-2420 24 Volt Power Supply, 20VA, Screw Terminal - \$12.00

- BP-LL-9V 9V Battery Pack - \$14.00



- CL-12V Cigarette Lighter Adapter - \$11.00



- 12 Volt Rechargeable 300mAh Battery Pack
- BP-12300 - \$23.00
- BP-12300CH - Charger for BP-12300 - \$44.00

Camera and Surveillance Accessories

Power & Video All in One Camera Cables



Comes with extra RCA and BNC connections so it works with all 12 volt wired video cameras. Eliminates the need to run separate power cable.

Plug and Play Cables

- CA-25 25' Cable 12v - \$17.00
- CA-50 50' Cable 12v - \$21.00
- CA-100 100' Cable 12v - \$28.00
- CA-150 150' Cable 12v - \$34.00

Cable Connectors



Connectors are used to connect cable to cable or used as adaptors.

- BNC-001-DF BNC Male to BNC Coupler - \$2.00
- BNC-001-RB RCA Plug TO BNC Jack Adapter - \$2.00
- BNC-001-MR BNC Male to RCA Jack Adapter - \$2.00

Pan/Tilt/Zoom Control Board



If you are using a PTZ camera without a DVR with PTZ controls, then you will need this PTZ Control Board.

Features: LCD display, control keys, joystick, can control up to 128 speed domes or decoders, full lens and speed control of cameras, manual or automatic control.

Specifications: Power: DC12V, Connection: RS-485, Range: 1500M (0.5MM twisted pair), Size: 7.9"(L) x 6.6"(W) x 1.8"(H) •PTZ-CONTROL PTZ Control Board - \$204.00

Outdoor Infrared Illuminators

are light magnifiers. They're made to work next to a black & white camera to improve the image quality in low-light conditions. Illuminators are weather-proof for outdoor use and can see in total darkness. All-weather aluminum, ABS engineering plastic and reinforced glass. Brackets included.



Illuminating Range: 30'~60', Consumed Power: 6W, Size: 3.14"(H) X 3.14"(W) X 2.75"(D), Weight: 10.5 oz., Angle: 60°, Input Power: DC12V 500mA, Wavelength: 850nm

- IR-10M - \$41.00



Illuminating Range: 90'~180', Consumed Power: 18W, Size: 5"(H) X 6.5"(W) X 4.5"(D), Weight: 30 oz., Angle: 80°, Input Power: DC12V 1500mA, Wavelength: 850nm

- IR-30M - \$89.00



Illuminating Range: 150'~210', Consumed Power: 25W, Size: 3"(H) X 4"(W) X 10"(D), Weight: 37 oz., Angle: 60°, Input Power: AC110V or AC220V (Switch Power), Wavelength: 850nm

- IR-60M - \$119.00

Multi-Power Supplies connect multiple cameras into one power box.



- MPS-12DC-4UL 4 Camera 12 Volt Power Supply - \$108.00
- MPS-12DC-9UL 9 Camera 12 Volt Power Supply - \$128.00
- MPS-12DC-16UL 16 Camera 12 Volt Power Supply - \$223.00

LCD Video Monitors

Having a monitor with your surveillance system is necessary for viewing the video captured by the cameras and recorded by the video recorder. Our high-quality LCD Video Monitors provide an ideal viewing screen. Just hook a monitor up to your DVR and see what your cameras see. A VGA converter (included) is required for connecting a camera or VCR to the monitor. Available in four affordable sizes: **17 inch and 20 inch. Monitor brands may vary.**



17 Inch LCD Video Monitor

- LCD-17 17" LCD Video Monitor 1280 x 1024 - \$561.00

Supports CCTV Camera input with a wide viewing angle. Sharp images at a maximum resolution of up to 1280 x 1024 pixels

Specifications: Brightness (cd/m2): 300, Resolution (H x V): 1,280 x 1,024 SXGA,

Resolution compatibility: VGA, SVGA, XGA, Contrast ratio: 450:1, Pixel pitch (H x V): 0.088 x 0.264mm, Response time: 12ms, Video Input: VGA, VGA to RCA Converter Included, Stereo mini jack x 1 (PC), Speaker (built-in, stereo): 10W x 2



20 Inch LCD Video Monitor

- LCD-20 20" LCD Video Monitor 1280 x 1024 - \$578.00

Maximum resolution of up to 1600 x 1200 pixels and 16.7 million colors. Produces sharp clarity and smooth video images 180-degree swivel stand.

Specifications: Brightness (cd/m2): 260, Resolution (H x V): 1,280 x 1,024 SXGA, Resolution compatibility: VGA, SVGA, XGA, Contrast ratio: 450:1, Pixel

pitch (H x V): 0.088 x 0.264mm, Response time: 12ms, Video Input: AV Input, Stereo mini jack x 1 (PC), Speaker (built-in, stereo): 10W x 2